EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	675999	@pd>"20051223"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:18
L2	25005	TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer$3) OR (address near3 (translat$3 OR decod$3 OR map$1 OR mapp$3) near3 table$1) OR ERAT OR (page$1 near3 table$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:19
L3	4004	(variable OR multiple OR assorted OR different OR diverse$4 OR many OR numerous$2 OR several$2 OR various OR varie$1 OR vary$3) near4 (page$1) near4 (size$1 OR magnitude$1 OR area$1 OR dimension$1 OR range$1 OR capacit$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:19
L4	3647	((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 08:19
L5	406	((711/212) or (711/221)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 08:19
L6	215797	PSI OR ((page$1) near4 (size$1 OR magnitude$1 OR area$1 OR dimension$1 OR range$1 OR capacit$3) near4 (indicat$3 OR identif$4 OR bit$1 OR byte$1 OR flag$1 OR status OR designat$3 OR label$3 OR select$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:19
L7	3923	(L4 OR L5)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:19
L8	70	L2 SAME (L3 SAME L6) AND L7	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:19
L9	3	L1 AND L8	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:24

L10	212987	PSI OR ((page$1) near4 (size$1) near4 (indicat$3 OR identif$4 OR bit$1 OR byte$1 OR flag$1 OR status OR label$3 OR select$3 OR entr$3 OR field$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:24
L11	1018	L2 AND L3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:24
L12	87	L11 AND (L10 near10 (table$1 near5 entr$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:24
L13	66	L12 AND L7	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:24
L14	6	L1 AND L13	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:25
L15	84	L11 AND (L10 near5 (table$1 near5 entr$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:25
L16	64	L15 AND L7	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:25
L17	6	L1 AND L16	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:27
L18	212866	PSI OR ((page$1) near4 (size$1) near4 (indicat$3 OR identif$4 OR bit$1 OR byte$1 OR flag$1 OR status OR label$3 OR select$3 OR field$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:27
L19	50	L11 AND (L18 near5 (table$1 near5 entr$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:27
L20	6	L1 AND L19	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:28

EAST Search History

L21	19	(PSI OR ((page$1) near4 (size$1) near4 (indicat$3 OR identif$4 OR bit$1 OR byte$1 OR flag$1 OR status OR label$3 OR select$3 OR field$1))) ADJ5 (based OR contingent OR correspond$3 OR depend$3) ADJ5 (page$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:28
L22	2	L1 AND L21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:30
L23	234865	(translat$3 OR decod$3 OR map$1 OR mapp$3 OR compar$4) near3 (enabl$3 OR bypass$3 OR disabl$3 OR activ$5 OR inactiv$5 OR avoid$3 OR abstain$3 OR permit$4 OR inhibit$3 OR prohibit$3 OR prevent$3 OR restrict$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:30
L24	25005	TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer$3) OR (address near3 (translat$3 OR decod$3 OR map$1 OR mapp$3) near3 table$1) OR ERAT OR (page$1 near3 table$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:30
L25	4004	(variable OR multiple OR assorted OR different OR diverse$4 OR many OR numerous$2 OR several$2 OR various OR varie$1 OR vary$3) near4 (page$1) near4 (size$1 OR magnitude$1 OR area$1 OR dimension$1 OR range$1 OR capacit$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:30
L26	1018	L24 AND L25	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:30
L27	406	((711/212) or (711/221)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 08:30
L28	7	L26 AND L23 AND (L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:30
L29	1	L1 AND L28	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:31

L30	3647	((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 08:31
L31	98	((writ$3 OR add$3) near4 (EA OR ((effective OR virtual OR logical OR linear) ADJ2 address$2))) SAME L23	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:31
L32	39	L31 AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:31
L33	4	L1 AND L32	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:32
L34	9	L1 AND L31	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:34
L35	95656	(translat$3 OR decod$3 OR map$1 OR mapp$3) near3 (enabl$3 OR bypass$3 OR disabl$3 OR activ$5 OR inactiv$5 OR permit$4 OR inhibit$3 OR prohibit$3 OR prevent$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:34
L36	72	((writ$3 OR add$3) near4 (EA OR ((effective OR virtual OR logical OR linear) ADJ2 address$2))) SAME L35	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:34
L37	9	L1 AND L36	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:35
L38	219164	PSI OR ((each OR individual$2 OR separate) near3 (size$1 OR magnitude$1 OR area$1 OR dimension$1 OR range$1 OR capacit$3 OR length$1) near4 (indicat$3 OR identif$4 OR bit$1 OR byte$1 OR flag$1 OR status OR designat$3 OR label$3 OR select$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:35
L39	7	L38 AND (L24 SAME L25) AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:35

L40	0	L1 AND L39	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:36
L41	12	L38 AND (L24 AND L25) AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:36
L42	0	L1 AND L41	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:37
L43	474447	PSI OR ((each OR individual$2 OR separate OR select$3 OR choos$3 OR every) near3 ((size$1 OR magnitude$1 OR area$1 OR dimension$1 OR range$1 OR capacit$3 OR length$1) near4 (indicat$3 OR identif$4 OR bit$1 OR byte$1 OR flag$1 OR status OR designat$3 OR label$3 OR select$3)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:37
L44	57	L43 AND (L24 SAME L25) AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:37
L45	3	L1 AND L44	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:42
L46	378869	(base OR default OR initial OR preferred OR primary OR principal OR fundamental) near3 (size$1 OR magnitude$1 OR area$1 OR dimension$1 OR range$1 OR capacit$3 OR length$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:42
L47	12	L46 SAME (L24 SAME L25) AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:42
L48	1	L1 AND L47	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:43
L49	55	L46 AND (L24 SAME L25) AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:43

L50	5	L1 AND L49	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:49
L51	265	L24 AND (L35 WITH (size$1 OR magnitude$1 OR area$1 OR dimension$1 OR range$1 OR capacit$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:49
L52	71	L51 AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:49
L53	7	L1 AND L52	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:54
L54	1539	(translat$3 OR decod$3 OR map$1 OR mapp$3) near3 ((compar$3 OR examin$3 OR hit$1 OR match$3 OR inspect$3) near3 (size$1 OR magnitude$1 OR area$1 OR dimension$1 OR range$1 OR capacit$3 OR length))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:54
L55	11	L54 AND L35 AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:54
L56	0	L1 AND L55	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:56
L57	1012	(translat$3 OR decod$3 OR map$1 OR mapp$3) near3 ((compar$3 OR examin$3 OR hit$1 OR match$3 OR inspect$3) near3 (EA OR entr$3 OR ((effective OR virtual OR logical OR linear) ADJ2 address$2)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:56
L58	3647	((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 08:56
L59	406	((711/212) or (711/221)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 08:56

L60	95656	(translat$3 OR decod$3 OR map$1 OR mapp$3) near3 (enabl$3 OR bypass$3 OR disabl$3 OR activ$5 OR inactiv$5 OR permit$4 OR inhibit$3 OR prohibit$3 OR prevent$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:56
L61	11	(L57 SAME L60) AND (L58 OR L59)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:56
L62	0	L1 AND L61	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:09
L63	930272	(base OR default$2 OR initial$2 OR principal$2 OR fundamental$2 OR small$3) near5 (page$1 OR siz$3 OR magnitude$1 OR dimension$1 OR length$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:39
L64	197	(L63 WITH L43) AND L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:15
L65	153	(L63 near5 L43) AND L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:16
L66	29008	("711").CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:16
L67	43	L65 AND L66	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:16
L68	52469	(no OR none OR "not necessary" OR "not require" OR "not required" OR disabl$3 OR prohibit$3) near5 (translat$4 OR decod$3 OR map$1 OR mapp$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:41
L71	136135	(identical$2 OR equal$2 OR exact OR "same") near5 (bit$1 OR byte$1 OR flag$1 OR flagg$3 OR tag$1 OR tagg$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:55
L72	4	(L68 near5 L71) SAME L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:55

L73	5	(L68 WITH L71) SAME L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:49
L75	22	(L68 SAME L71) SAME L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:50
L76	348255	(identical$2 OR equal$2 OR exact OR "same") near5 (entr$3 OR line$1 OR tag$1 OR tagg$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:55
L77	6	(L68 near5 L76) SAME L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:57
L78	8	(L68 WITH L76) SAME L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:58
L79	44	(L68 SAME L76) SAME L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:15
L80	370	translat$4 near5 (enabl$3 OR disabl$3) near5 (bit$1 OR byte$1 OR tag$1 OR tagg$3 OR flag$1 OR flagg$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:19
L81	11	L80 SAME ((TLB$ OR (translation ADJ (lookaside OR look-aside) ADJ buffer$3) OR ERAT OR PTE OR (page ADJ table$1)) near3 entr$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:38
L82	19	(L80 SAME entr$3) AND ((TLB$ OR (translation ADJ (lookaside OR look-aside) ADJ buffer$3) OR ERAT OR PTE OR (page ADJ table$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:39

EAST Search History

S85	32	(US-20050125623-$ or US-20050027961-$ or US-20030204702-$ or US-20050021925-$ or US-20040215918-$ or US-20030196065-$ or US-20030196066-$ or US-20020156962-$ or US-20020133685-$).did. or (US-6715057-$ or US-6772281-$ or US-6751583-$ or US-6625715-$ or US-6647482-$ or US-6233652-$ or US-6549997-$ or US-5956756-$ or US-6078987-$ or US-5963984-$ or US-5895501-$ or US-5907867-$ or US-5617554-$ or US-5835963-$ or US-5796978-$ or US-5526504-$ or US-5475827-$ or US-5479627-$ or US-5426750-$ or US-5465337-$ or US-5446854-$ or US-5375214-$ or US-6446189-$).did.	US-PGPUB; USPAT	OR	ON	2006/05/25 16:51
S86	15	(translat$4 OR decod$3 OR map$1 OR mapp$3 OR convert$3 OR TLB$1) near5 (bypass$3 OR disabl$3 OR inactiv$6 OR inhibit$3 OR prohibit$4 OR prevent$3 OR deactivat$3) AND S85	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:51